



**TOPOLINO**

**BY**



# TOPOLINO DOLCEVITA BY VILEBREQUIN

*Exclusive Style, inspired by the partner*



Privileged and strictly confidential. Any use, disclosure, publication or distribution is prohibited



# TOPOLINO DOLCEVITA BY VILEBREQUIN

*Exclusive Style, inspired by the partner*



**NEW "Doccetta"**



Door Ropes



Rear Carriage

Keyring  
By Vilebrequin



**NEW** Bi-color paint



**NEW** Vilebrequin logo on fender



**NEW** Dolcevita Box wrapping with Vilebrequin pattern



# SHOWER SYSTEM QUICK GUIDE: HOW IT WORKS



Water Inlet



Water Outlet –  
Shower head is  
inside the cavity



## STEP 1


### WATER INLET



Insert water into the inlet of the filling tube on the rear side of the cover.

## STEP 2

### SWITCH-ON




Activation button → off-the-shelf product



To activate the system, the panel must be in key-on condition. Then, switch on the system with the specific button. The button is located on the lower left-hand side of the steering column.

## STEP 3

### WATER OUTLET



Pull the shower head out of the door and press the button.

NB: to deactivate the system the panel must be in key-off condition



# TOPOLINO VILEBREQUIN : CLEANING OPERATIONS



## CAR WASH CYCLE

Pre-wash with warm water

Follow the manufacturer's instructions to dilute shampoo in water

Wash the vehicle with gentle and wide movements starting from the roof and continuing downwards

Rinse well with clean water

Dry the vehicle immediately with a clean and soft microfibre cloth



## WHAT TO AVOID

- Do not use aggressive cleaning products (e.g. alcohol, solvent or ammonia), dry and abrasive sponges and polishes.
- Avoid washing too close with the pressure washer wand.
- Do not use brushes to wash the car.
- Do not use cleaning products that contain waxes and/or polishing agents.



## WHAT TO USE

- Use pH neutral product or soapy water
- Use microfiber cloths.
- Use specific products for matt paint, if necessary.